

# A UNIQUE SQUEEZING SYSTEM

General  
Catalogue 2020

**ZUMMO** 

# CONTENT

Z1 Nature	→	28
Z06 Nature Inox	→	32
Z14 Nature Self Service Inox	→	36
Z40 Nature Adapt	→	44
Z22 Juice Extractor	→	50
Z14 Nature Contactless Inox 16 Kg	→	64
Z14 Nature SS Cabinet Slim	→	72
Z40 Nature Adapt Cabinet Store	→	76
Z40 Nature Multifruit Range	→	82
ZV25 Nature	→	88
Z10 Nature	→	92
ZK Kiosk	→	96

# THE FUTURE IS NOW

At Zummo, we strive to be an innovation benchmark; by setting trends rather than following them, by keeping ahead of consumers' needs rather than waiting for them to tell us what they need. Because, for Zummo, the future is now.



Society works and consumes differently. **The happiest and most productive workplaces** are not just responding to this change, but they are also leading it. **Do you want to be one of them?**

The food that we find at work, apart from reflecting food trends, must help to create an excellent experience that will squeeze all the potential from the workers. This is a holistic approach: it does not just foster the performance of people, but it also strengthens the company's reputation, positioning it as it a favourite firm where people want to work.

The workers are aware of how important it is to look after themselves, health-wise, and they want to have access to nutritional food that will help them to maintain a healthy diet and feel well. With Zummo, the workers' access to healthy food is simplified. With Zummo, companies can make a real difference in the health and well-being of their workers.

# IT'S TIME TO FEEL GOOD

This is your moment.  
Disconnect, have a Zummo and feel good.



# HEALTHY LIFE



A freshly-squeezed fruit juice satisfies the expectations of healthy consumers. And with Zummo, they also obtain:

- User Experience:** customers play a key role. They activate the juice extraction and witness the whole process.
- Variety:** juice from different types of fruit, alone or combined.
- Inmediacy:** instant and ready-to-drink juice.
- Grab & Go:** takeaway juice. The customer squeezes it and drinks it anywhere and anytime.

The Healthy food concept has evolved. What was, a few years ago, limited to low-calorie and low-fat food, has now spread to healthy and sustainable food, focusing on consumers' well-being and protecting the environment.




# MASS GREEN

The Mass Green movement is based on a new consumption method. It is a change brought about by consumers themselves, in their search for both their physical and emotional well-being. This change influences the whole food value chain, giving way to new consumption methods, and the market needs to adapt to this new paradigm.

## “Consumers want to eat more healthfully, but they can’t do it alone”

(Andrew Mandiz, strategic director of Nielsen)

- ◆ What industry offers.
- ◆ Characteristics desired by consumers.



\* Data obtained from global studies by Datamonitor 2017 and Nielsen Global Health and Ingredients Survey 2017



# EVS<sup>®</sup> ADVANCED

The heart of our extraction system



Efficient Vertical System is what helps to set us apart. EVS<sup>®</sup> is a system created and developed by Zummo, which, based on manual juice extraction systems, makes the juice obtained be more natural and with the purest possible flavour, permitting maximum efficiency and profitability. How does it do this?

## Purer and more natural juice

The oils that are naturally present in the peel of the fruit never enter into contact with the juice or with the parts that make up the juice extraction kit.

## Maximum efficiency

It prevents jamming caused by peel, and it minimises splashes and pulp remains that might be generated, further facilitating the cleaning process.

1



The fruit drops from the basket to the cup.

2



The cups rotate 90° around their own axis, and the fruit is cut vertically.

3



Each cup houses one half of the fruit and continues to rotate up to 180°.

4



The cut fruit is pressed vertically against the balls and the juice is obtained, which goes directly to the receptacle.



# YIELD

**With EVS® we maximise the yield of Zummo juicers. Whatever the citrus fruit used. Whatever the calibre.**

Maximising the yield of your juicer was never so easy or quick. Just select the juice extraction kit that adapts best to the calibre of the fruit you are going to squeeze.

It is very easy. Our kits cover a wide juice extraction range, from Ø 40 to 100 mm, or in other words, from limes to large grapefruit. Because our juice extraction kits have been developed to squeeze any type of citrus fruit, and also pomegranates.



	S		M		L		XL	
Ø mm	40-60	45-60	53-76	55-75	64-88	65-90	70-90	77-100
Model	Z1	—	—	Standard	—	Optional	—	—
Z06	—	Optional	—	Standard	—	—	Standard	—
Z14	—	—	—	Standard	—	—	Standard	—
Z40	Optional	—	Standard	—	Optional	—	—	Optional

# A tip...

**How to identify the right Juice Extraction Kit to maximise the yield of your Zummo.**

If the diameter of the fruit is compatible with two Juice Extraction Kits, we advise you to choose the smallest of the two.

For example, to extract juice from Ø 74 mm oranges with Z14 Nature, we could use either kit L or kit M. In this case, it would be advisable to do it with kit M.



# NEW COLOUR KITS

Easier to identify!



**Our juice extraction kits come in different colours: grey, orange, maroon and pink.** Each colour corresponds to a kit size, so they are easily identifiable.

**Kit S:** limes, tangerines and small oranges.

**Kit M:** oranges and lemons.

**Kit L:** large oranges, grapefruit, and pomegranates\*

**Kit XL:** extra large oranges, grapefruit and large pomegranates\*

\*Suggested fruit. Using one kit or another will depend on the calibre of the fruit to be squeezed.

## Do not forget that...

- Every juicer model has its own specific kits.
- Although the different machine kits are the same colour, they do not necessarily share the same juice extraction range, so, a priori, they are not exchangeable between different machine models.
- The colours of the juice extraction kits are independent of the colours of the machine containers.





# AUTOMATIC FILTER



One of the major constant features of Zummo is facilitating the usability of our juicers as much as possible. With this objective in mind, we developed the Auto Cleaning System, an automatic cleaning filter system, included as standard in models Z06, Z14 and Z40 of the Nature range.

**How does it work?**

The Auto Cleaning System improves the juicer's yield with the automatic filter. It has a polyurethane band that enters into motion when the juicer is activated, sweeping away the seeds and pulp resulting from the juice extraction, and depositing them in the peel containers.

**How does the Auto Cleaning System improve your Zummo experience?**

- Greater autonomy. You can spend more time on other tasks, as you will not have to worry about cleaning the filter of your juicer; not until the end of the day.
- More satisfied customers. The path of the squeezed juice until it reaches the glass is shortened, as there are no pulp remains to impede it. So, the juice reaches the glass with the most natural and purest flavour possible.
- Greater yield. The automatic filter is always clean, with no accumulated pulp, so not one single drop is wasted when the juice passes through it.

# EASY CLEAN



**Cleaning and hygiene in 4 steps\*:**

- Dismount the juicer parts.
- Wash them by hand, with neutral soap, or in dishwasher (except for the front cover).
- Disinfect the parts with a product that is suitable for food use.
- Mount the parts on the juicer.



**We want you to spend your time on important things.**

The easy-clean feature of the juicers is essential to minimise the time spent on maintenance. Preventing the generation of waste during the juice extraction process is just as important as having an easy, fast and intuitive cleaning process. At Zummo, we know this, so all our juicers are Easy Clean.

\*Consult the user manual to follow the details of the cleaning and sanitation process.



Push

## Other Adapt Tray benefits:

- **Easy-to-clean.** The Adapt tray comprises just two pieces that are very easy to dismount and clean, even in the dishwasher.
- **Hygiene.** The largest flow rate of the tap helps to fill bottles in less time, avoiding jamming; and its interior design prevents the juice from depositing on the base.
- **Image.** The Adapt tray is totally integrated with the Z40 Nature design, providing the product with an elegance and quality bonus.

# ADAPT TAP TRAY

For Z40 Nature

The Adapt tap tray, developed by Zummo and standard in all the Z40 Nature models, provides the machine with a series of advantages that convert it into a reference in the sector. The operator can choose the juicer operating model by just turning a knob: Fixed mode (programming the number of pieces of fruit to juice) or Self Service mode (the juice extraction is activated when the machine is turned on).



Two positions\*

\*Self service mode and continuous mode.



«When we started out on this adventure, almost 30 years ago now, I could never have imagined getting as far as we have today, distributing energy to so many people.

Ever since I was a kid, I have lived surrounded by orange groves. I suppose that, without realising it, they started to become part of my life; so much so, that they became an essential part of it, my passion, encouraging me to put all my energy into trying to obtain maximum purity from the fruit.

I decided, together with Rafa, my son-in-law, to set up a modest workshop in a small garage. There we would construct the first machine prototype that would manage to squeeze oranges, obtaining a perfect juice.

Today, after all these years, and seeing how we have evolved since we started in that garage, I feel very proud. Proud of feeling how that ambition has given its fruit, and how, today, we have a promising future ahead, and that we haven't lost any of that passion we began with».

Founder of Zummo

# WHY IS ZUMMO DIFFERENT?

All our efforts are aimed at offering excellent juicers, which obtain the best juice in the easiest and most cost-effective way. Learn how we achieve this.

## ✓ Flavour and purity

Our vertical juicing system, EVS® is the essence of our juicers, and it is what sets them apart. The juice never enters into contact with the peel and the path to the disposable cup is minimal, guaranteeing maximum purity and the most natural flavour.

## ✓ Adaptability

We are not just talking about orange juice. With Zummo, squeezing juice from pomegranates, grapefruit, limes or mandarins is just as easy\*

## ✓ Yield

Our juice extraction kits cover the widest juice extraction range of the market. They are compatible with 40 to 100 mm diameter fruit. This, together with the EVS® technology, maximises the juice extraction yield, whatever the citrus fruit and whatever the size.

## ✓ Easy clean

Minimise the generation of waste during the juice extraction process, making the cleaning process easy, fast and intuitive. Reduce the time spent on servicing your juicer.

\*Consult compatibilities per model



# FOOD SERVICE

Restaurants, bars, cafeterias, hotels, shops... the Zummo Food Service line has been designed to provide service in any type of establishment. Depending on the characteristics, Zummo offers each business the perfect juicer to cover their needs and get maximum return on their investment.





# Z1 NATURE



6,5 Fruit per minute

1kg Feeder

9l Container capacity



Available colours



Consumption



Type of fruit



Available kits



THE PERFECT OPTION  
FOR SMALLER SPACES



## TECHNICAL FEATURES

Voltage	230 V - 50 Hz. 220 V - 60 Hz. 110V - 60 Hz.
Motor	Single phase 0,16 CV
Energy consumption	165 W - 1.8 W on standby
Standby system	Yes
Weight	29,5 kg
Automatic Feeder	1 kg
Fruit per minute	6,5
Bin capacity	9 l
Diameter of fruit	55-75 mm. Opt: 65-90 mm
Dimensions	678 (h) x 340 (w) x 387 (d) mm
Safety	Blocking sensors
Programmer	Yes

\* Basket not included

The Z1 Nature juicer is Zummo's most compact model, and it is recommended for premises with limited space. It has been designed to become the most effective and profitable solution for businesses with a juice consumption of less than 30 glasses per day.



# Z06 NATURE

## INOX



10 Fruits per minute

1,5 kg Feeder

22 l Container capacity

Available colours



<sup>1</sup> Stainless steel containers or chutes

Consumption



Type of fruits



Available kits



**EVSO**  
AWARD  
EFFICIENT VERTICAL SYSTEM



EASY CLEAN




AUTOMATIC FILTER



BPA SAFE

VERSATILITY IN ITS  
PUREST STATE



### TECHNICAL FEATURES

Voltage	230 V - 50 Hz, 220 V - 60 Hz, 110 V - 60 Hz.
Motor	Single phase 0,33 CV
Energy consumption	275 W
Weight	52,5 kg
Automatic feeder	1,5 kg
Fruits per minute	10
Bin capacity	22 l (2 x11)
Diameter of fruit	55-75 mm /70-90 mm. Opt: 45-60 mm
Dimensions	811 (h) x 500 (w) x 431 (d) mm
Safety	Blocking sensors
Programmer	Yes
Basket capacity	6 kg
Filter	Automatic

\*Version with colored polypropylene containers

The Z06 Nature model is Zummo's most versatile juicer. It extracts juice from all types of citrus fruit as well as pomegranates. The perfect option for those who seek great flexibility in their offer.



# Z14 NATURE

## SELF SERVICE INOX



**16** Fruits per minute

**9 kg** Basket capacity

**18 l** Container capacity

Available colours



<sup>1</sup> Stainless steel containers or chutes

Consumption



Type of fruits



Available kits



**EVSO**  
EFFICIENT VERTICAL SYSTEM



ENDLESS POSSIBILITIES  
FOR YOUR BUSINESS



### TECHNICAL FEATURES

Voltage	230 V - 50 Hz. 220 V - 60 Hz. 110 V - 60 Hz.
Motor	Single phase 0,33 CV
Energy consumption	275 W
Weight	58,5 kg
Fruits per minute	16
Bin capacity	18 l (2 x 9)
Diameter of fruit	55-75 mm / 70-90 mm.
Dimensions	867 (h) x 478 (w) x 488 (d) mm
Safety	Blocking sensors
Programmer	Yes
Basket capacity	9 kg
Filter	Automatic



<sup>1</sup>Self Service



\*16 kg

\*Optional

\*Version with colored polypropylene containers

<sup>1</sup>Only compatible with stainless steel containers or chutes with elevation kit

Z14 Nature is the most highly recommended option for businesses with high juice consumption. The capacity of its baskets and of its peel containers provide it with great autonomy, a key factor for buffets, restaurants and the retail sector.



Pomegranate juice is a trend that is here to stay. Thanks to the healthy properties of this super-food and its characteristic flavour, it has become a highly demanded option by consumers, and therefore, available in more and more establishments. Have you tried combining it with orange, grapefruit or lime juice?

**\*Recommended models: Z06 Nature, Z14 Nature and Z40 Nature, in all versions. Vending ZV10 Nature and ZV25 Nature.**



## Now, Z14 Nature also squeezes pomegranates.

Z14 Nature has evolved. Zummo presents this updated version which includes a series of technical adjustments, made to be able to juice pomegranates more efficiently, without interruption, without incidents, and with maximum yield.





# Z40 NATURE

ADAPT



40 Fruits per minute

20 kg Basket capacity

30 l Container capacity

Stainless steel containers or chutes

Consumption



Type of fruits



Available kits



**EVS**  
EFFICIENT VERTICAL SYSTEM



EASY CLEAN



SELF SERVICE ADAPT



AUTOMATIC FILTER



BPA SAFE

SPEED AND EFFICIENCY  
COMBINED



## TECHNICAL FEATURES

Voltage	230 V - 50 Hz, 220 V - 60 Hz, 110V - 60 Hz
Motor	Single phase 0,5 CV
Energy consumption	360 W — 2,4 W on Standby
Weight	81,5 kg
Fruits per minute	40
Bin capacity	30 l (2 x 15 l)
Diameter of fruit	53-76 mm. Opt: 40-60mm / 64-88 mm / 77-100 mm
Dimensions	980 (h) x 595 (w) x 550 (d) mm
Safety	Blocking sensors
Programmer	Yes
Basket capacity	20 kg
Filter	Automatic
Self Service	Yes



Adapt  
Tray

Model Z40 Nature is the perfect juicer to attend to the needs of mass catering and superstores. Its capacity to extract large amounts of juice in a short period of time - up to 40 pcs. of fruit per minute- permits satisfying the typical demand peaks of this type of establishment.



«Over the last few years, we have carried out different actions to maximise our workers' well-being. One of the most-liked proposals has been the installation of a Z14 Contactless juicer in our Coffee Service, as well as a Z10 vending machine in the lobby. This measure has been welcomed by all colleagues. Moreover, we contribute to fostering a healthier lifestyle, which is one of the main pillars of our Social Corporate Responsibility policy: disseminating good practices that focus on promoting employees' health and well-being».

Chief Human Capital Officer  
Multinational technology company



# Z22

Juice Extractor

High productivity and yield centrifugal juicer for fruits and vegetables with attached pulp tank. It is the ideal option to offer the best combinations.

800 W Power

3000 RPM

9 l Container capacity



- Fast and easy cleaning, in 5 minutes
- Magnetic disc and filter attachment
- Up to 2 litres per minute
- Encapsulated motor
- Silent. Its rubber base absorbs vibration
- Ø 75 mm feed space
- Aluminium body and stainless-steel bowl



## TECHNICAL FEATURES


Voltage	220 V - 50 Hz
Power	800 W
Consumption	275 W
Rpm	3000 Rpm
Weight	18,5 kg
Bin capacity	9 l
Dimensions	290 (h) x 438 (w) x 512 (d) mm



# WE ARE NOT JUST TALKING ABOUT ORANGE JUICE.

The perfect breakfast, tea or snack are much more than the classical orange juice. Zummo opens up new possibilities for increasingly demanding consumers who are hungry for new experiences: in addition to orange juice, add grapefruit, tangerine, lime, lemon or pomegranate. Alone or combined. **With Zummo, any option is possible.**

	Tangerines, limes	Oranges, lemons	Pomegranates	Grapefruit
Z1	☒	☑	☒	☒
Z06	☑	☑	☑	☑
Z14	☒	☑	☑	☑
Z40	☑	☑	☑	☑



# CONTACTLESS JUICING



Zummo launches its juicer line with built-in cashless payment systems, to enjoy a freshly-squeezed juice anywhere and anytime.

Flexibility is a priority today. People eat when they need to, with no preset times or places, and they move around according to their own preferences: first thing they go out for a run, they have breakfast on their way to work, they have a coffee mid-morning, and a snack mid-afternoon; but people no longer want processed and nutrient-poor products, people want healthy options.

The Z14 Nature Contactless model is the best choice. This **Z14 Nature version has a payment system that activates the machine, squeezing the juice right then.** And the user witnesses the entire process! That is why it is the ideal option for your offices, OCS, coworking spaces, grocerants, convenience stores or hotel lobbies.

**Payment methods:**

- Prepayment/loyalty cards
- Credit/debit cards
- Mobile apps/payment gateways\*

\*Some of the payment gateways supported:






«Our company is engaged in marketing organic fruit and vegetables for the Food Service sector. There is increasingly more awareness about caring for one's own health and the planet's health, so we give our customers top quality bio and km0 products. I must acknowledge that including Zummo juicers in our offer was not something that we had considered at the start of this project. The need arose from our customers. They wanted to offer a juice that would maintain all the properties, as well as the flavour of organic products – that was when we started to investigate. We had heard about the Zummo juicers and their EVS<sup>®</sup> and we didn't think twice. Our main business model is leaving the machine at our customer's facilities, in deposit, and become their fruit suppliers. We also collect the peel from the squeezed fruit for composting. A win-win situation with which we are more than satisfied, as are our customers!».

Founder of an organic crop startup

# INNOVATION

Innovation is part of our DNA. In 1992, our starting point was the development of EVS®, a unique system which has made us the company we are today. Now, at Zummo, our efforts are still aimed at innovating, identifying resources that will enable us to provide society with better products, increasing competitiveness, and committing to a business model based on identifying, developing and implementing new ways of doing things.



## The most outstanding innovation milestones of Zummo are:

- EVS
- Pomegranate juice
- Vending
- Adapt tray





# JUICE CORNER

The OCS (Office Coffee Service) concept has become an essential asset in any company or workplace. Different studies ratify what is already a reality: a quality coffee area is greatly welcomed by workers; it makes them feel more highly considered, attracting new talents, retaining personnel, and ultimately, improving productivity.

But, what do workers really need?

«73% of the workers consider that their organisation must provide healthy food at work».




# A SEGMENT WITH HIGH POTENTIAL

«84% of the CEOs describe the need to improve the employee's experience as an "important" or "very important" topic».



- ◆ There are more than 317,000,000 companies in the world.
- ◆ There are more than 25,000,000 companies in Europe.
- ◆ There are more than 1,330,000 companies in Spain.

Offering a coffee service is no longer enough. Consumer trends have evolved towards healthy food and this repeats itself in the labour sphere. Natural, non-processed and sustainable products are essential to complete any quality Office Coffee Service. This trend is going to spiral up over the coming years, as the new generations are the most critical when asking their companies for healthy products.



# Z14 NATURE

## 16KG CONTACTLESS INOX



16 Fruits per minute

16 kg Basket capacity\*

18 l Container capacity

Available colours



<sup>1</sup>Stainless steel containers or chutes

Consumption



Type of fruits



Available kits



**EVSO**  
ADVANCED  
EFFICIENT VERTICAL SYSTEM



\*16 kg basket as standard

THE EASIEST WAY  
TO DRINK JUICE



### TECHNICAL FEATURES

Voltage	230 V - 50 Hz. 220 V - 60 Hz. 110 V - 60 Hz.
Motor	Single phase 0,33 CV
Consumption	275 W
Weight	60,5 kg
Fruits per minute	16
Bin capacity	18 l (2 x 9 l)
Diameter of fruit	55-75 mm / 70-90 mm
Dimensions	892 (h) x 478 (w) x 485 (d) mm
Safety	Blocking sensors
Programmer	Yes
Basket capacity	16 kg
Filter	Automatic
Payment system	Yes

<sup>1</sup>Only compatible with stainless steel containers or chutes with elevation kit



<sup>1</sup>Self Service

Special product upon request





It's time to  
feel good.



ZUMMO



# RETAIL

Modular units designed to cover the natural juice demand in superstores. The Zummo Retail range includes juicers, cabinets, dispensers and specialised accessories that can be combined to offer the most adequate solution for every space. Juice extraction efficiency, intuitive use and simple maintenance. These are the key points that make Zummo Retail the best option to make your business grow.



# Z14 NATURE

## SELF SERVICE CABINET SLIM



16 Fruits per minute

9 kg Basket capacity

Bag Container capacity



Consumption




Type of fruit



Available kits



GREAT AUTONOMY IN  
THE MINIMUM SPACE



### TECHNICAL FEATURES

Voltage	230 V - 50 Hz. 220 V - 60 Hz. 120 V - 60 Hz.
Motor	Single Phase 0,33 CV
Energy consumption	275 W
Weight	101,6 kg
Fruits per minute	16
Container capacity	Bag
Diameter of fruit	55-75 mm / 70-90 mm
Dimensions	1600 (h) x 500 (w) x 600 (d) mm
Protection	Blocking sensors
Basket capacity	9 kg
Programmer	Yes
Filter	Automatic
Gastronorm (G)	Yes



\*Standard



\*16 kg



\*Tank



!Fresh

\* Optional

!It has cooling equipment in the cabinet with tank

To offer customers an extra service, it is no longer necessary to have large spaces or make great investments. With the Z14 Retail range any type of shop or business can add juice to their offer.





# Z40 NATURE

ADAPT

## CABINET STORE



40 Fruits per minute

20 kg Basket capacity

100 l Container capacity

EVS<sup>ADAPT</sup>  
EFFICIENT VERTICAL SYSTEM

SELF SERVICE ADAPT

EASYCLEAN

EASYFILL

AUTO  
AUTOMATIC FILTER

BPA SAFE

Consumption



Type of fruit



Available likits



### TECHNICAL FEATURES

Voltage	230 V - 50 Hz. 220 V - 60 Hz. 110 V - 60 Hz.
Motor	Single phase 0,5 CV
Energy consumption	360 W — 2,4 W Stand by
Weight	122,5 kg
Fruits per minute	40
Bin capacity	100 l
Diameter of fruit	53-76 mm. Opc: 40-60 mm / 64-88 mm / 77-100 mm
Dimensions	980 (h) x 595 (w) x 550(d) mm
Safety	Blocking sensors
Basket capacity	20 kg
Programmer	Yes
Filter	Automatic
EasyFill	Yes
Self Service	Yes (Adapt)



Adapt Tray



\*Gastronorm



\*Tank

\*Optional

MAXIMUM YIELD FOR  
CONTINUOUS SERVICE



Fresh  
juice!!

Pequeña 2.10 Grande 3.50

A professional-grade orange juicer machine on a stainless steel cart. The machine has a hopper for oranges on top and a dispensing spout. To the left of the machine is a rack holding several rows of clear plastic bottles with orange caps. The cart has two large doors on the front and is on wheels.



A wooden produce display stand filled with various fruits. The top section contains green limes, red tomatoes, and yellow lemons. Below that, there are baskets of oranges and lemons. The stand is made of light-colored wood and has a metal frame.

A wooden basket filled with yellow lemons.

A pile of brown, round items, possibly nuts or small bread rolls, on the floor.



We collaborate with HMY in our new projects. The HMY Group are leaders in engineering, manufacturing and assembly of furniture for retail, and experts in offering integrated solutions for brands and retailers.

With the modular corners, different pieces can be combined to achieve a totally personalised unit. Combining juice extraction, bottle-rack and storage modules offers endless possibilities that will adapt to each customer's specific needs, to create their ideal solution.



# MULTIFRUIT

With the Multifruit range, Zummo adapts its original Z40 Nature Adapt to juice pomegranates, limes, tangerines and lemons, as well as oranges, adapting to the characteristics of each fruit to obtain maximum yield. The Multifruit range is a novel solution, designed to extend the juice offer, obtaining maximum return on investment from each one of them.



«Competition has intensified. Customers are no longer loyal to their local fruit shops, which is what used to happen; they are now taken away by those proposals that afford them an added value, a user experience. That is why I decided to rent a Z06 juicer for my shop. Customers love coming, selecting the fruit, citrus fruit or pomegranates themselves, and making instant juice. They even come from all over the city! The truth is that I am so satisfied with the results that I am considering installing another Zummo juicer».

Fruit Seller



# VENDING NATURE

“The tendency in trade is to automate sales processes, and thus save costs, personnel and time. Vending has become one of the most lucrative and fast-growing commercial activity worldwide over the last few years. It is an ingenious way of harnessing resources, which can provide an additional source of income or become your main economic activity”.



## The 5 vending keys:

- 1. Time.** Once your Zummo Vending network has been implemented, the time investment is minimal. Estimated: For every 100 machines, just 30 weekly working hours are required, approximately.
- 2. Open 24h.** Generation of income day and night, 365 days a year, with no social security, benefits or staff costs.
- 3. Investment.** The overheads and maintenance costs of the Zummo Vending model are low, which affords a return on investment in a very short time, quickly increasing the capital.
- 4. Juice.** As juice is an impulse product, the model becomes a highly profitable business.
- 5. Vending.** This sales model is increasingly more implemented.

# ZV25 NATURE



14 Fruits per minute

25 kg Basket capacity

30 l Container capacity



Consumption



Type of fruit



Available kits



VENDING'S MOST COMPACT SOLUTION



## TECHNICAL FEATURES

Voltage	230 V - 50 Hz, 220 V - 60 Hz, 110 V - 60 Hz.
Energy consumption	700 W
Autonomy	50-55 services
Service time	21 seconds (according to configuration)
Coolant	R134A
Weight	225 kg
Feeder	25 kg of fruit
Disposable cup dispenser	115 units for Ø 70-71 cups, from 150 cc to 220 cc
Diameter of fruit	Ø 55-75 mm Opt: 70-90 mm
Dimensions	1845 (h) x 680(w) x 780 (d) mm
Safety	Blocking sensors
Max. water intake pressure	6 bar
Squeezer	Z14

Special product upon request

The ZV25 is Zummo Vending's most compact solution in terms of dimensions, and the largest in features. Its small size makes it ideal to be installed in offices, shops or businesses.





# Z10 NATURE



10 Fruits per minute

45 kg Basket capacity

55 l Container capacity

**EVS**  
EFFICIENT VERTICAL SYSTEM

**AUTO**  
AUTOMATIC FILTER

EASY CLEAN

BPA SAFE

Consumption



Type of fruit



Available kits



THE BEST OPTION TO  
RESPOND TO LARGE DEMANDS



## TECHNICAL FEATURES

Voltage	230 V - 50 Hz, 220 V - 60 Hz, 110 V - 60 Hz.
Energy consumption	1400 W
Autonomy	100-110 services
Service time	21 seconds (according to configuration)
Coolant	R134A
Weight	298 kg
Feeder	45-50 kg of fruit
Disposable cup dispenser	140 units for Ø 70-71 cups, from 150 cc to 220 cc
Diameter of fruit	Ø 55-75 mm Opt: 70-90 mm
Dimensions	1830 (h) x 1000(w) x 680 (d) mm
Safety	Blocking sensors
Max. water intake pressure	6 bar
Squeezer	Z06

Special product upon request



The Z10 model, which is larger in size and capacity, is the best option to respond to large demands. Ideal for places where there is a large influx of visitors, such as shopping centres, airports, stations, hospitals or sports facilities.



# ZUMMO KIOSK

The Zummo Kiosk business model has an original and appealing design that draws the public's attention to the point of sale. It can be customised according to the needs of the brand, space or setting. Its 360° vision affords great versatility in any space. A portable business in a very small space.

"The fastest and simplest way of opening a profitable business that can be adapted to any space."



# ZK KIOSK



Weight	300 kg
Size-closed	2655 (h) x Ø 2240 mm
Size-open	3445 (h) x Ø 2240 mm
Opening	790 mm




## CUSTOMISE YOUR KIOSK

Do you want to convert your Zummo Kiosk into an exclusive point of sale? With the Zummo customisation service, it is possible. A specialised team will advise you to find the Kiosk that adapts best to your business, assuming responsibility for all the production details. You will obtain a unique, more recognisable Kiosk that will generate the greatest possible visual impact, which translates into greater profitability for your business. What are you waiting for? Consult us!

\* Check customization possibilities

360° business vision



Possibilities of customising interiors. Consult conditions.

# AFTER-SALE, MAINTENANCE AND WARRANTIES

The quality of the Zummo products is complemented with the after-sale, maintenance and warranty services, both from Zummo headquarters and from the official dealers and authorised technical services worldwide.

## 1. Installation and training in shops

Specialised staff will install the machine in the establishment, leaving it up and ready to operate.

During the installation, the operators will receive training in the daily tasks to be carried out: assembly, dismantling and cleaning.

## 2. Technical training

Zummo will offer technical training that adapts to the machine operators, so that they will be able to solve small incidents and thus gain in autonomy.

## 3. Extensive customer support hours

At Zummo we are perfectly aware of the long opening hours of commercial establishments, so we adapt our after-sale service to your needs:

- a).** Call Center: according to our statistics, 85% of the incidents can be solved by telephone. That is why Zummo has qualified technical staff who attend to the Call Centre, from Monday to Friday, from 8 am to 10 pm nonstop.
- b).** Extensive support: you will always find technical staff on duty at weekends, thus guaranteeing the service 6 days a week.

## How do we manage possible incidents?

If an incident occurs, it will be scheduled to be solved within 24 hours at the latest following receipt.

## How do we manage the delivery of spares?

When a customer needs spares, he will request them directly from Zummo. Spares requested before 12 o'clock (local time in Spain) will be sent the same day, unless the quantities are considerable which would lead to stock out, in which case, they will be informed of the delivery time.

## Warranty

**Zummo offers a 3-year warranty extendable to 5 for its juicers. This extension is achieved by adhering to the Zummo preventive\* maintenance plan.**

\*Consult with Zummo




# ACCESSORIES FOR YOUR SQUEEZER

## Z1 ACCESSORIES

### Container

- <sup>1</sup> Ref. 1903008A-1
- <sup>2</sup> Ref. 1903008A-2
- <sup>3</sup> Ref. 1903008A-3
- <sup>4</sup> Ref. 1903008A-4



· Capacity: 9 l

### Large cup kit

Ref. 1908020



· Ø 65/90 mm  
· Comprised of: 1 large ball + 1 large cup + 1 elastic supplement + 1 Ø 90 mm calibrator

### Basket

Ref. 1902016




· It enables storage of up to 2.5 kg fruit

## Z06 ACCESSORIES

### Container

- <sup>1</sup> Ref. 0508039-1
- <sup>2</sup> Ref. 0508039-2
- <sup>3</sup> Ref. 0508039-3
- <sup>4</sup> Ref. 0508039-4



· Suitable for all Z06 Nature models  
· Capacity: 22 l

### Inox containers

Ref. 0508040



· Suitable for all Z06 Nature models  
· Capacity: 22 l

### Inox chutes

Ref. 0509B00B



· Suitable for Z06 Nature models  
· Stainless steel

### Peel collection box

Ref. 0509001-N



· Capacity: 39 l  
· Weight: 15 kg  
· 276 (h) x 508 (w) x 435 (d) mm  
· Stainless steel

### Cabinet G Slim

Ref. MDC06-N



· Weight: 34,5 kg  
· 780 (h) x 500 (w) x 600 (d) mm  
· Waste tank: bag  
· Gastronorm tray + lid

### Small cup kit


Ref. 0505026



· Suitable for all Z06 Nature models  
· It squeezes Ø 45/60 mm fruit  
· Comprised of: 2 small balls + 2 small cups

Z14 ACCESORIES

Self Service tap tray  
Ref. 1405034A-1



- Suitable for all Z14 Nature models
- Includes: dispenser tap
- Bottle support (Ref.210841)

Z14 Complete tank  
Ref. 1408056A-5



- Suitable for all Z14 Nature models
- Capacity: 4 l
- 280 (h) x 254 (w) x 349 (d) mm

Hopper kit for 16 kg fruit  
Ref. 1403026A-1



- Capacity for 16 kg fruit
- Kit comprised of hopper, hopper track and basket
- Available basket without lid
- Lid available separately

Containers

- <sup>1</sup> Ref. 1408042-1
- <sup>2</sup> Ref. 1408042-2
- <sup>3</sup> Ref. 1408042-3
- <sup>4</sup> Ref. 1408042-4



- Suitable for all Z14 Nature models
- Capacity: 14 l

Inox chutes  
Ref. 1408044



- Suitable for Z14 Nature models
- Stainless steel

Inox containers  
Ref. 1408043



- Suitable for models Z14 Nature and Z14 Nature Self Service
- 355 (h) x 296 (w) x 107 (d) mm
- Capacity: 18 l
- Stainless steel

Z14 ACCESORIES

Elevation kit with chutes  
Ref. 1408049



- Suitable for Z14 Nature models
- Stainless steel
- Elevation: 45 mm

Elevation kit with containers  
Ref. 1408050



- Suitable for Z14 Nature models
- Stainless steel
- Elevation: 45 mm

Cabinet G Slim  
Ref. MDCESP14-N



- Suitable for models Z14 Nature and Z14 Nature Self Service
- 780 (h) x 500(w) x 600 (d) mm
- Weight: 34 kg
- Gastronorm tray + lid

Cabinet Fresh  
Ref. MF14-N



- Suitable for model Z14 Fresh
- 890 (h) x 650 (w) x 530 (d) mm
- Weight: 53,1 kg
- Cooling equipment

Cabinet Fresh Plus  
Ref. MFP14-N



- Suitable for model Z14 Fresh
- 890 (h) x 840 (w) x 530 (d) mm
- Weight: 60,8 kg
- Cooling equipment



Z40 ACCESORIES

Large juice extraction kit  
Ref. 210536



- Ø 64/88 mm
- Comprised of: 2 large balls+ 2 large cups + 1 separator

Extra-large juice extraction kit  
Ref. 210537



- Ø 77/100 mm
- Comprised of: 2 extra-large balls+ 2 extra-large cups + 1 separator

Juice extraction kit S  
Ref. 210332A



- Ø 40/60 mm
- Comprised of: 2 S balls+ 2 S cups+ S ring + Funnel + D80 blade

Inox chutes  
Ref. 210932




- Suitable for Z40 Nature model
- Stainless steel

Complete tank  
Ref. 210816D-5



- 7,6 l tank
- Dispenser tap
- Includes: 1 dispenser tap, 1 manual stirrer, tank support, tank lid, transparent plastic tank

Adapt tray  
Ref. 210561C-1



- Suitable for Z40 Nature Adapt
- Dispensing tap
- Continuous mode
- Bottle support not included (Ref. 210842)

Z40 ACCESORIES

Cabinet Plus G  
Ref. MDPC40 2.0



- Suitable for Z40 Nature Adapt
- 780 (h) x 800 (w) x 600 (d) mm
- Weight: 46,5 kg
- Gastronorm tray + lid

Cabinet Store  
Ref. MMP40



- Suitable for Z40 Nature Adapt
- 780 (h) x 800 (w) x 600 (d) mm
- Weight: 52 kg
- EasyFill

GENERAL ACCESORIES

Bottle rack cabinet  
Ref. MB-N50



- Two positions: Flat and sloping
- 1850 (h) x 500 (w) x 600 (d)mm
- Weight: 43 kg

Forex adhesive for cabinet  
Ref. Ask for details



- Forex adhesive for Cabinet
- Several designs available
- Cabinet not included

Cleaning kit  
Ref. Ask for details



- Specific cleaning kit for Z14 N, Z40 N, Z10 and ZV25

GENERAL ACCESORIES

Bottles

Optional label



- Volume: 0,25, 0,5 l or 1 l
- Material: Plastic
- Screw top with safety seal

Disposable plastic cups

Ref. Ask for details



\*Ask for details

Glass bottles

Optional label



- Volume: 0,25, 0,5 l or 1 l
- Material: Glass
- Ask for details

Disposable paperboard cup

Ref. Ask for details



\*Ask for details

Bottle rack


Ref. 0316004-N



- Suitable for all cabinets\*
- 755 (h) x 345 (w) x 600 (d) mm
- Weight: 7,1 kg

\* The bottle rack is not available for Fresh models

Payback calculator for Z14 Nature



# Summary table



MODEL	Z1 Nature	Z06 Nature	Z06 Nature Inox	Z06 Nature Compact
-------	-----------	------------	-----------------	--------------------

	Filter	4 mm	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning
	Protection	Yes	Yes	Yes	Yes
	Tank	-	-	-	-
	Tap	-	-	-	-
	Gastronorm	-	-	-	-
	16 kg basket	-	-	-	-

	Dimensions	678 x 339 x 387 mm	811 x 548 x 431 mm	811 x 500 x 431 mm	1086 x 508 x 444 mm
	Basket capacity/Feeder	1 kg	1.5 kg	1.5 kg	1.5 kg
	Weight	29.5 kg	52.5 kg	52.5 kg	62.5 kg
	Height	167 mm	179 mm	179 mm	198 mm
	Peel container capacity	9 l	2 x 11 l	2 x 11 l / Counter Top	39 l

	Consumption	165 W stand by 1.8 W	275 W	275 W	275 W
	Fruits per minute	6.5	10	10	10
	Fruit size	Ø 55-90 mm	Ø 45-90 mm	Ø 45-90 mm	Ø 45-90 mm

REFERENCE	<ul style="list-style-type: none"> <li>● Z1x-NGP</li> <li>● Z1x-NBR</li> <li>● Z1x-NOR</li> <li>● Z1x-NBE</li> </ul>	<ul style="list-style-type: none"> <li>● Z06x-NGP</li> <li>● Z06x-NBR</li> <li>● Z06x-NOR</li> <li>● Z06x-NBE</li> </ul>	Z106x-N	CP06x-N
-----------	--	--	---------	---------



Z14 Nature	Z14 Nature Inox	Z14 Nature Inox Self Service	Z14 Nature Contactless Inox	Z14 Nature Adapt
------------	-----------------	------------------------------	-----------------------------	------------------

	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning
	Yes	Yes	Yes	Yes	Yes
	-	-	-	-	-
	-	-	Yes	-	-
	-	-	-	-	-
	-	-	-	-	-

	822 x 478 x 460 mm	822 x 478 x 460 mm	867 x 478 x 488 mm	892x478x 485 mm	980 x 598 x 545 mm
	9 kg	9 kg	9 kg	9 kg	20 kg
	58.5 kg	58.5 kg	58.5 kg	60.5 kg	81.5 kg
	180 mm	186 mm	170 mm	180/ 186 /170 mm	160 mm
	2 x 7 l	2 x 9 l / Counter Top	2 x 9 l	2 x 7 l	2 x 15 l / Counter Top

	275 W	275 W	275 W	275 W	360 W stand by 2.4 W
	16	16	16	16	40
	Ø 55-90 mm	Ø 55-90 mm	Ø 55-90 mm	Ø 55-90 mm	Ø 40-100 mm

<ul style="list-style-type: none"> <li>● Z06x-NGP</li> <li>● Z14x-NBR</li> <li>● Z14x-NOR</li> <li>● Z14x-NBE</li> </ul>	Z114x-N	ZIG14x-N	*Z114A16TA-N-PNT	ZT40xPA-N
--	---------	----------	------------------	-----------

# Summary table



MODEL	Z14 Nature Cabinet G Slim	Z14 Nature SS Cabinet G Slim 16	Z14 Nature Fresh Cabinet	Z14 Nature Fresh Cabinet Plus 16
-------	---------------------------	---------------------------------	--------------------------	----------------------------------

	Filter	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning
	Protection	Yes	Yes	Yes	Yes
	Tank	-	-	7l	7l
	Tap	-	Yes	Yes	Yes
	Gastronorm	Yes	Yes	-	-
	16 kg basket	-	-	-	Yes

	Dimensions	1600 x 500 x 600 mm	1600 x 500 x 600 mm	1785 x 650 x 530 mm	1855 x 840 x 530 mm
	Basket capacity	9 kg	9 kg	9 kg	16 kg
	Weight	90.7 kg	101.6 kg	109.5 kg	116.5 kg
	Height	269 mm / 190 mm	269 mm / 190 mm	160 mm / 200 mm / 240mm	160 mm / 200 mm / 240mm
	Peel container capacity	Bag	Bag	Bag	2 x 50 l

	Consumption	275 W	275 W	275 + 450 = 725 W	275 + 450 = 725 W
	Fruit per minute	16	16	16	16
	Fruit size	Ø 55-90 mm	Ø 55-90 mm	Ø 55-90 mm	Ø 55-90 mm

REFERENCE	CC14x-N50	CGC14x16-N50	CF14x-N65	CF14x16-N84
-----------	-----------	--------------	-----------	-------------



Z40 Nature Adapt Cabinet Plus G	Z40 Nature Adapt Cabinet Store	Z40 Nature Adapt Service Cabinet Plus
---------------------------------	--------------------------------	---------------------------------------

3 mm Self cleaning	3 mm Self cleaning	3 mm Self cleaning
Yes	Yes	Yes
-	-	Yes
Yes	Yes	Yes
-	-	-
-	-	-

1762 x 800 x 600 mm	1762 x 800 x 600 mm	1762 x 800 x 600 mm
20 kg	20 kg	20 kg
122.5 kg	122.5 kg	122.5 kg
168 mm / 268 mm	238 mm	200 mm / 240 mm / 280 mm
2 x 55 l	2 x 50 l	2 x 55 l

360 W stand by 2.4 W	360 W stand by 2.4 W	360 W stand by 2.4 W
40	40	40
Ø 40-100 mm	Ø 40-100 mm	Ø 40-100 mm

CTC40xPA-N80	CM40xPA-N80	CS40xPA-N80
--------------	-------------	-------------



ZV25 Nature	Z10 Nature
-------------	------------

Yes	Yes
Yes	Yes
-	-
-	-
-	-
-	-

1845x680 x780 mm	1830x1000 x680 mm
25 kg	45-50 kg
225 kg	300 kg
-	-
30	55

706 W	4.5 kW
14	10
Ø 55-90 mm	Ø 45-90 mm

ZV25x-N	Z10x-N
---------	--------

—We are aware that our image is determined by the quality of our products and services, and therefore by the human team behind them. The effort, development and innovation of our machines are certified by the approvals we have achieved; all of them have EC certification. The other certifications are available according to models. These approvals enable us to market the Zummo machines in the main markets. Zummo has developed an Integrated Quality Management System to design automatic citrus fruit juicing machines, certified in terms of quality, by TÜV NORD according to ISO 9001.

#### Notice

All the characteristics and technical specifications are based on available information at the time of printing this catalogue, and they may be modified without prior notice, in agreement with market circumstances, technological innovations and/or any other factor, without incurring any type of responsibility. The content of this catalogue (structure, texts, documents, images, etc.) is the property of ZUMMO INNOVACIONES MECANICAS S.A. and is protected by the intellectual property rights. The reproduction, dissemination, copy, manipulation or use of the content of this catalogue, either totally or partially, for any commercial or public purpose without the written consent and permission from ZUMMO INNOVACIONES MECANICAS S.A. is absolutely forbidden. Unauthorised use of this content may infringe the intellectual property, industrial property laws, personal rights, publicity and communication rights, the law on competition, and other regulations. ZUMMO INNOVACIONES MECANICAS S.A. declines any responsibility derived from these possible unauthorised uses.

**ZUMMO** 

